


HYDROKIT

BUFFER TANK FOR
HEATING & COOLING
AND/OR
DOMESTIC HOT
WATER



**BUFFER
TANK,**
COMPATIBLE WITH
ALL BRANDS OF
HEAT PUMPS.



HYDROKIT

ENERGIE.PT

BUFFER TANKS FOR HEATING & COOLING AND/ OR DOMESTIC HOT WATER

The HYDROKIT ENERGIE are buffer tanks accumulators that temporarily store energy in the form of hot and/or cold water. They are ideal for heating and/or cooling systems using heat pumps, allowing you to optimize the energy efficiency of the installation.

PORTUGUESE MANUFACTURING


- 100 and 200 litres stainless steel tanks
- 10 litres expansion vessel
- Grundfos circulation pump (1 or 2)
- Caleffi technopolymer instrument holder collector
 - Safety valve
 - Purge Valve
 - Pressure gauge
- Immersion thermostat
- Wall-mounted installation (optional)
- 1" shut-off valves
- 1/2" drain valve
- High density polyurethane thermal insulation
- Thermostatic valve (optional)



See warranty conditions



Technical drawing: **HYDROKIT 100L | 200L**




HYDROKIT 100L

HYDROKIT 200L


A	1038mm	1226mm
B	487mm	570mm
C	589mm	840mm
D	181mm	198mm
E	831mm	998mm

TECHNICAL DATA


1 STANDARD CIRCUIT		DC100I-HYB-P	DC200I-HYB-P
Nominal capacity	L	100	200
Hydraulic connections	und. / inch	4/1"	4/1"
Circuits	-	1	1
Safety group	-	Caleffi [Air vent, Safety valve and Pressure gauges]	
Expansion vessel	L	10	10
Safety thermostat	-	Yes	Yes
Circulator pump	-	1 Grundfos [UPM3-25-75]	1 Grundfos [UPM3-25-75]



2 STANDARD CIRCUITS		DC100I-HYB-P-2F	DC200I-HYB-P-2F
Nominal capacity	L	100	200
Hydraulic connections	und. / inch	6/1"	6/1"
Circuits	-	2	2
Safety group	-	Caleffi [Air vent, Safety valve and Pressure gauges]	
Expansion vessel	L	10	10
Safety thermostat	-	Yes	Yes
Circulator pump	-	2 Grundfos [UPM3-25-75]	2 Grundfos [UPM3-25-75]



1 STANDARD CIRCUIT + 1 CIRCUIT WITH THERMOSTATIC MIXING VALVE		DC100I-HYB-P-FV	DC200I-HYB-P-FV
Nominal capacity	L	100	200
Hydraulic connections	und. / inch	6/1"	6/1"
Circuits	-	2	2
Safety group	-	Caleffi [Air vent, Safety valve and Pressure gauges]	
Expansion vessel	L	10	10
Safety thermostat	-	Optional	Optional
Circulator pump	-	2 Grundfos [UPM3-25-75]	2 Grundfos [UPM3-25-75]
Thermostatic valve	°C	20 - 45	20 - 45



This flyer has been created for information purposes only and does not constitute a contractual offer for ENERGIE EST Lda.. The ENERGIE EST Lda. has compiled the contents of this flyer to the best of its knowledge. No express or implied guarantee is given regarding the completeness, accuracy, reliability or fitness for a particular purpose of its content and the products and services it presents. Specifications are subject to change without notice. ENERGIE EST Lda. explicitly rejects any direct or indirect damages, in its broadest sense, resulting from or related to the use and/or interpretation of this flyer.
R4V1/2026



Zona Industrial de Laúndos
Lote 48, 4570-311 Laúndos
Póvoa de Varzim, Portugal
EMAIL energie@energie.pt
SITE www.energie.pt

Follow us on:

ENERGIE PORTUGAL



Authorized dealer